



Safety Data Sheet

PolyBreak 5

SECTION 1: Identification

1.1 Product identifier

Product name PolyBreak 5
Product number PB5

1.3 Recommended use of the chemical and restrictions on use

For industrial use. Polymer Breaker

1.4 Supplier's details

Name Downhole Chemical Solutions
Address 7274 Elm Street
Frisco, Texas 75034

Telephone 469-466-1100

1.5 Emergency phone number(s)

1-888-255-3924 US (ChemTel)
1-813-248-0585 International (ChemTel)

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 1A
- Acute toxicity, oral, Cat. 4
- Oxidizing liquids, Cat. 3

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H272 May intensify fire; oxidizer
H302 Harmful if swallowed
H314 Causes severe skin burns and eye damage
H318 Causes serious eye damage

Safety Data Sheet

PolyBreak 5

Precautionary statement(s)

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P220	Keep/Store away from clothing/combustible materials.
P221	Take any precaution to avoid mixing with combustibles - flammables
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P280	Wear eye protection/face protection.
P280	Wear protective gloves/eye protection/face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell,
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.
P330	Rinse mouth.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use water for extinction
P405	Store locked up.
P501	Dispose of contents/container in accordance with national regulations.

2.3 Other hazards which do not result in classification

No data is available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous Component	Concentration
Hydrogen peroxide (CAS no.: 7722-84-1; EC no.: 231-765-0) Trade secret	10 - 25 % (weight) < 1 % (weight) *

Trade secret statement (OSHA 1910.1200(i))

*The specific chemical identities and/or actual concentrations or actual concentration ranges for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of the dangerous area.
If inhaled	remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Move exposed individual to fresh air. Loosen clothing as necessary and position the individual in a comfortable position. Seek medical advice if discomfort or irritation persists. Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include burning pain in the nose and throat, coughing, wheezing, shortness of breath, and pulmonary edema.
In case of skin contact,	take off immediately all contaminated clothing. Rinse skin with water/shower for at least 15 minutes. Call a poison center or doctor if irritation develops or persists. Wash contaminated clothing before reuse.

Safety Data Sheet

PolyBreak 5

Acute and delayed symptoms and effects: Causes severe skin burns. Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

In case of eye contact

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

Acute and delayed symptoms and effects: Causes serious eye damage. Signs/symptoms may include the cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision, or complete loss of vision.

If swallowed

Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If vomiting occurs naturally, have the victim lean forward to reduce the risk of aspiration. Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: Harmful if swallowed. Causes burns to the nose, mouth, throat, and digestive tract. Signs/symptoms may include severe mouth, throat, and abdominal pain, nausea, vomiting, diarrhea, blood in the feces, and/or vomitus may also be seen.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data is available.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water to extinguish the fire.

5.2 Specific hazards arising from the chemical

Hydrogen peroxide may ignite combustibles (wood, paper, and oil). Containers may explode when heated. This material will accelerate burning when involved in a fire.

5.3 Special protective actions for fire-fighters

Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive, and toxic gases. Runoff from fire control or dilution water may be corrosive and toxic and cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing that the manufacturer specifically recommends. It may provide little or no thermal protection. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Further information

No data is available.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures

Warning: Do not touch or walk through spilled material. Wear respiratory protection if necessary. Do not breathe gas, mist, vapors, or spray. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Eliminate all sources of ignition and remove combustible materials. For personal protection, see section 8.

6.2 Environmental precautions

Safety Data Sheet

PolyBreak 5

Prevent material from entering into soil, ditches, sewers, waterways, and groundwater.

6.3 Methods and materials for containment and cleaning up

Dike to collect large liquid spills. Stop leak and contain spill if this can be done safely. Sweep up and shovel into suitable containers for disposal.

Reference to other sections

For disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not swallow. Do not breathe mist, vapors, or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Keep/store away from clothing/ combustible materials. See Section 8 for information on Personal Protective Equipment.

7.2 Conditions for safe storage, including any incompatibilities

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep containers in cool areas out of direct sunlight and away from combustibles. Provide mechanical general and/or local exhaust ventilation to prevent the release of vapor or mist into the work environment. Containers must be vented. Keep/store only in original container. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Specific end use(s)

Apart from the uses mentioned in section 1, no other specific services are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 7722-84-1

Hydrogen peroxide

ACGIH (USA): 1 ppm TLV® inhalation; Cal/OSHA (USA): 1 ppm PEL inhalation; NIOSH (USA): 1 ppm REL inhalation; OSHA (USA): 1 ppm PEL inhalation; 1.4 mg/m³ PEL inhalation

8.2 Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits. Ensure that eyewash stations and safety showers are close to the workstation location.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Safety glasses with side shields or goggles and a full face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Ensure that eyewash stations and safety showers are close to the workstation location.

Skin protection

Wear protective gloves, such as nitrile, PVC, or neoprene. Consult manufacturer specifications for further information.

Body protection

Wear protective clothing. Clothing with full-length sleeves and pants should be worn. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. DO NOT USE cotton, wool, or leather as these materials react rapidly with higher concentrations of hydrogen peroxide.

Respiratory protection

Safety Data Sheet

PolyBreak 5

Where risk assessment shows, air-purifying respirators are appropriate, use a full-face respirator with a multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied-air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data is available.

Environmental exposure controls

Do not let the product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Clear liquid
Odor	Odorless
Odor threshold	No data available.
pH	2.0-3.0
Melting point/freezing point	26 F
Initial boiling point and boiling range	103 °C
Flash point	>212
Evaporation rate	> 1 (n-butyl acetate =1)
Flammability (solid, gas)	No data available.
Upper/lower flammability limits	No data available.
Upper/lower explosive limits	No data available.
Vapor pressure	23 mm Hg @ 30 °C
Vapor density	No data available.
Density	8.4-8.5
Relative density	1.01
Solubility(ies)	Water: completely soluble
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	Strong oxidizer
Activity	18.0 % active

Other safety information

No data is available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with incompatible materials. Sources of ignition. Exposure to heat.

10.2 Chemical stability

Stable under normal storage conditions.

10.3 Possibility of hazardous reactions

Contact with organic substances may cause fire or explosion.

10.4 Conditions to avoid

Light, heat, flames, and sparks. Incompatible products. Keep away from open flames, hot surfaces, and sources of ignition. Exposure to UV-rays. pH variations.

10.5 Incompatible materials

Safety Data Sheet

PolyBreak 5

Combustible materials. Zinc, Powdered metals, Iron, Copper, Nickel, Brass, Iron, and iron salts.

10.6 Hazardous decomposition products

Oxygen and possibly hydrogen gas.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Information on the product as supplied:

No data available

Components:

Hydrogen peroxide

LC50 Inhalation - Rat - > 0.17 mg/L - 4 h

LD50 Oral - Rat - 801mg/kg

Symptoms (including delayed and immediate effects):

Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose, and throat pain.

Ingestion: Harmful if swallowed. Causes burns to the nose, mouth, throat, and digestive tract. Signs/symptoms may include severe mouth, throat, and abdominal pain, nausea, vomiting, diarrhea, blood in the feces, and/or vomitus may also be seen.

Skin corrosion/irritation

Causes severe skin burns. Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

Serious eye damage/irritation

Causes serious eye damage. Signs/symptoms may include the cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision, or complete loss of vision.

Respiratory or skin sensitization

No data is available.

Germ cell mutagenicity

No data is available.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: Hydrogen peroxide: A3

IARC: Hydrogen peroxide: 3

Reproductive toxicity

No data is available.

STOT-single exposure

No data is available.

STOT-repeated exposure

No data is available.

Aspiration hazard

No data is available.

Safety Data Sheet

PolyBreak 5

SECTION 12: Ecological information

Toxicity

Information on the product as supplied:
No data available on the product

Components:

Hydrogen peroxide

EC50 - Algae *Skeletonema costatum* - 1.38 mg/L - 72 h

EC50 - *Daphnia pulex* - 2.4 mg/L - 48 h

LC50 - *Pimephales promelas* (fathead minnow) - 16.4 mg/L - 96 h

Persistence and degradability

Hydrogen peroxide in the aquatic environment is subject to various reduction or oxidation processes and decomposes into water and oxygen.

Bioaccumulative potential

No data is available.

Mobility in soil

No data is available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

SECTION 13: Disposal considerations

Disposal of the product

The disposal should be in accordance with applicable Federal, State, and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Disposal of contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN Number: 2984

Class: 5.1

Packing Group: III

Proper Shipping Name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

IMDG

UN Number: 2984

Class: 5.1

Packing Group: III

EMS Number: F-H, S-Q

Proper Shipping Name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

IATA

UN Number: 2984

Class: 5.1

Packing Group: III

Proper Shipping Name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Safety Data Sheet

PolyBreak 5

SECTION 15: Regulatory information

15.1 Safety, health, and environmental regulations specific to the product in question

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:
Hydrogen peroxide
CAS-Number: 7722-84-1

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard

Massachusetts Right To Know Components

Hydrogen peroxide
CAS number: 7722-84-1

New Jersey Right To Know Components

Hydrogen peroxide
CAS number: 7722-84-1

Pennsylvania Right To Know Components

Hydrogen peroxide
CAS number: 7722-84-1

California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

HMIS Rating

PolyBreak 5	
HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	1
PERSONAL PROTECTION	H

SECTION 16: Other information

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no event shall Downhole Chemical Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages, whatsoever arising, even if Downhole Chemical Solutions has been advised of the possibility of such damages.

Revision History

V3: Company address updated - no other content changes