



Safety Data Sheet

QL Plus

SECTION 1: Identification

1.1 Product identifier

Product name QL Plus

Product number QLP

1.3 Recommended use of the chemical and restrictions on use

Lubricant

1.4 Supplier's details

Name Downhole Chemical Solutions
Address 1 Cowboys Way #572
Frisco, Texas 75034

Telephone 469-466-1100

1.5 Emergency phone number(s)

1-800-255-3924 US (ChemTel)
1-813-248-0585 International (ChemTel)

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 2A
- Skin corrosion/irritation, Cat. 2
- Aspiration hazard, Cat. 1

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H304
H315
H319

May be fatal if swallowed and enters airways
Causes skin irritation
Causes serious eye irritation

Precautionary statement(s)

Safety Data Sheet

QL Plus

P264	Wash hands thoroughly after handling.
P280	Wear eye protection/face protection.
P280	Wear protective gloves.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with national regulations.

2.3 Other hazards which do not result in classification

Slip hazard from spills

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Component	Concentration
Hydro-treated distillate, light naphthenic (CAS no.: 64742-53-6; EC no.: 265-156-6)	25 - 60 % (weight) *
Distillates, petroleum, hydrotreated light (CAS no.: 64742-47-8; EC no.: 265-149-8)	2 - 20 % (weight) *
2-[2-(2-Butoxyethoxy)ethoxy]ethanol (CAS no.: 143-22-6; EC no.: 205-592-6)	0.1 - 3 % (weight) *

Trade secret statement (OSHA 1910.1200(i))

*The specific chemical identities and/or actual concentrations or actual concentration ranges for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled	Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include burning pain in the nose and throat, coughing, wheezing, shortness of breath and pulmonary edema.
In case of skin contact	Wash with plenty of water for at least 15 minutes. Call a poison center or doctor if irritation develops or persists. Take off contaminated clothing and wash it before reuse. Acute and delayed symptoms and effects: Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.
In case of eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention/advice.

Safety Data Sheet

QL Plus

Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

If swallowed

Immediately call a POISON CENTER or doctor. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: May be fatal if swallowed and enters airways. May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

Carbon oxides, Sulphur oxides, Tungsten oxide

5.3 Special protective actions for fire-fighters

Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Further information

Use water spray to cool unopened containers. Spills produce extremely slippery surfaces.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Warning: Do not touch or walk through spilled material. Spills can create very slippery surfaces. Wear respiratory protection if necessary. Avoid breathing gas, mist, vapors, or spray. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

6.2 Environmental precautions

Do not contaminate water

6.3 Methods and materials for containment and cleaning up

Stop leak if you can do it without risk. Sweep up and shovel into suitable containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Safety Data Sheet

QL Plus

7.1 Precautions for safe handling

Surfaces are very slippery from this product. Do not swallow. Do not breathe mist, vapors, or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. See Section 8 for information on Personal Protective Equipment.

7.2 Conditions for safe storage, including any incompatibilities

Freezing will adversely affect the quality of the product. Store locked up. Keep away from heat and sources of ignition. Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 64742-47-8 (EC: 265-149-8)

Distillates, petroleum, hydrotreated light
ACGIH: 200 mg/m³ TLV® inhalation

CAS: 64742-53-6 (EC: 265-156-6)

Hydro-treated distillate, light naphthenic
ACGIH: 5 mg/m³ STEL inhalation; 5 mg/m³ TLV® inhalation; NIOSH: 10 mg/m³ (oil mist) REL-ST inhalation; 5 mg/m³ (oil mist) REL-TWA inhalation; OSHA: 5 mg/m³ TWA inhalation

8.2 Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Safety glasses with side shields or goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Ensure that eyewash stations and/or safety showers are close to the workstation location if working with concentrated product.

Skin protection

Wear protective gloves, such as PVC or other plastic material. Consult manufacturer specifications for further information.

Body protection

Wear protective clothing. Clothing with full length sleeves and pants should be worn. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available.

Environmental exposure controls

Do not let product enter drains.

Safety Data Sheet

QL Plus

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Dark brown liquid
Odor	Mild
Odor threshold	No data available.
pH	5.0 – 7.0
Melting point/freezing point	-18 F
Initial boiling point and boiling range	No data available.
Flash point	No data available.
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Upper/lower flammability limits	No data available.
Upper/lower explosive limits	No data available.
Vapor pressure	No data available.
Vapor density	No data available.
Relative density	8.4 – 8.5
Specific Gravity	1.01
Solubility(ies)	Soluble in Water
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

Other safety information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with incompatible materials. Sources of ignition. Exposure to heat.

10.2 Chemical stability

Stable under normal storage conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Safety Data Sheet

QL Plus

Information on the product as supplied:
No data available.

Components:

Distillates, petroleum, hydrotreated light

LD50 Oral - Rat - > 5000 mg/kg

LD50 Skin - Rabbit - > 5,000 mg/kg

LC0 Inhalation - Rat - 4951 mg/m³ - 4 h

Result: Based on results obtained from tests on analogous products

Symptoms (including delayed and immediate effects):

Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion: May be fatal if swallowed and enters airways. May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin corrosion/irritation

Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Serious eye damage/irritation

Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Respiratory or skin sensitization

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

May be fatal if swallowed and enters airways

SECTION 12: Ecological information

Toxicity

Information on the product as supplied:
No data available on product

Safety Data Sheet

QL Plus

Components:

Distillates, petroleum, hydrotreated light

NOEC - Daphnia magna (water flea) - >1000 mg/l - 21 d

LC0 - Oncorhynchus mykiss (rainbow trout) - >1000 mg/l - 96 h

EC0 - Daphnia magna (water flea) - >1000 mg/l - 48 h

IC0 - Pseudokirchneriella subcapitata (green algae) - >1000 mg/l - 72 h

NOEC - Oncorhynchus mykiss (rainbow trout) - >1000 mg/l - 28 d

EC50 - Tetrahymena pyriformis - >1000 mg/l - 48 h

Hydro-treated Distillate, Light Naphthenic

LL50 - WAF Aquatic Vertebrates - 3.2 - 65 mg/L - 96 h

EL50 - Daphnia magna (water flea) - 2.0 – 210 mg/L - 7 d

EL50 - Daphnia magna (water flea) - >0.5 mg/L - 21 d

Persistence and degradability

Information on the product as supplied:

No data available on product

Components:

Distillates, petroleum, hydrotreated light

Readily biodegradable. Does not hydrolyze

Hydro-treated Distillate, Light Naphthenic

Readily biodegradable

Bioaccumulative potential

Information on the product as supplied:

No data available on product

Components:

Distillates, petroleum, hydrotreated light

Bioconcentration factor (BCF): no data available. Partition co-efficient (Log Pow): 3-6

Mobility in soil

Information on the product as supplied

No data available on product

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

SECTION 13: Disposal considerations

Disposal of the product

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Disposal of contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Safety Data Sheet

QL Plus

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

Distillates, petroleum, hydrotreated light
CAS-No. 64742-47-8

New Jersey Right To Know Components

Distillates, petroleum, hydrotreated light
CAS-No. 64742-47-8

Pennsylvania Right To Know Components

Distillates, petroleum, hydrotreated light
CAS-No. 64742-47-8

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.
Ethylbenzene
CAS-No. 100-41-4

HMIS Rating

HMIS RATINGS (Hazardous Materials Identification System)	
HEALTH	1
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	B

SECTION 16: Other information

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Downhole Chemical Solutions be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Downhole Chemical Solutions has been advised of the possibility of such damages.